5804 Peachtree Corners East, Norcross, GA 30092-3403

(678) 248-7440

Lead and Copper Sample Analysis Report

TO: Mr. RON 425 W	IALD E TOLLEY OGI ETHORPE HWY	Date Collected:	9/17/2024
120		Time Collected:	11:17 PM
HINES∨	ILLE, GA 31313	Sample Collector:	P. TORAYA
Sample ID:	AL73377	Received By:	ESH
System:	tradeport east	Date Received:	9/25/2024
WSID: Site Number:	1790153 01	Reporting Date:	10/4/2024

	PARAMETER				ANALYSIS
ANALYTE	CODE	RESULT	UNITS	ANALYST	DATE
Copper	01042	40	ug/L	CPC	10/1/2024
Lead	01051	0	ug/L	CPC	10/1/2024

Thank you for participating in the implementation of the "Lead and Copper Rule" as required by the US Environmental Protection Agency. The water sample you collected from your house has been analyzed for lead and copper content; the results are given above.

Lead and copper may be found in household plumbing fixtures such as service lines, pipes, solders and fluxes, and brass and bronze fixtures. Lead is found throughout the environment in the air, soil, water, and household dust, and in consumer products such as food, lead-based paint, pottery porcelain and pewter. Lead and copper enter drinking water primarily as a result of the corrosion, or wearing away of materials containing these metals. Lead can pose a significant risk to your health if too much of it enters your body. The greatest risk is to young children and pregnant women. The US EPA has established an "action level" of 15 ug/l for lead and 1300 ug/l for copper. If concentrations measured in your household water exceed these "action levels", you can minimize your exposure by:

* "flushing" the cold water faucet until the water becomes as cold as it will get; this removes the water that has stagnated in you home plumbing over several hours;

- * using cold water for drinking or cooking;
- * not cooking with or consuming water from the hot water faucet;
- * not using hot water for making baby formula;
- * using only "lead-free" solder, fluxes, and materials in new household plumbing and
- repairs.

For more information on reducing lead/copper exposure around your home, the health effects and primary sources of these contaminants, please visit the EPA's website at WWW.EPA.GOV/LEAD, call the National Lead Information Center at 1-800-424-LEAD, or contact your health care provider.

For more information contact your water supplier:

Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY. HINESVILLE, GA 31313

For other questions Contact EPD Drinking Water Program (404) 656-5660

ug/L: micrograms/liter

Laboratory Contact:

5804 Peachtree Corners East, Norcross, GA 30092-3403

(678) 248-7440

Lead and Copper Sample Analysis Report

TO: Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY		Date Collected:	9/17/2024
420 W.		Time Collected:	7:00 AM
HINES∨	ILLE, GA 31313	Sample Collector:	A. SMITH
Sample ID:	AL73378	Received By:	ESH
System:	tradeport east	Date Received:	9/25/2024
WSID: Site Number:	1790153 02	Reporting Date:	10/4/2024

ΔΝΔΙ ΥΤΕ					ANALYSIS DATE
Copper	01042	120	ug/L	PD	10/1/2024
Lead	01051	0	ug/L	PD	10/1/2024

Thank you for participating in the implementation of the "Lead and Copper Rule" as required by the US Environmental Protection Agency. The water sample you collected from your house has been analyzed for lead and copper content; the results are given above.

Lead and copper may be found in household plumbing fixtures such as service lines, pipes, solders and fluxes, and brass and bronze fixtures. Lead is found throughout the environment in the air, soil, water, and household dust, and in consumer products such as food, lead-based paint, pottery porcelain and pewter. Lead and copper enter drinking water primarily as a result of the corrosion, or wearing away of materials containing these metals. Lead can pose a significant risk to your health if too much of it enters your body. The greatest risk is to young children and pregnant women. The US EPA has established an "action level" of 15 ug/l for lead and 1300 ug/l for copper. If concentrations measured in your household water exceed these "action levels", you can minimize your exposure by:

* "flushing" the cold water faucet until the water becomes as cold as it will get; this removes the water that has stagnated in you home plumbing over several hours;

- * using cold water for drinking or cooking;
- * not cooking with or consuming water from the hot water faucet;
- * not using hot water for making baby formula;
- * using only "lead-free" solder, fluxes, and materials in new household plumbing and
- repairs.

For more information on reducing lead/copper exposure around your home, the health effects and primary sources of these contaminants, please visit the EPA's website at WWW.EPA.GOV/LEAD, call the National Lead Information Center at 1-800-424-LEAD, or contact your health care provider.

For more information contact your water supplier:

Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY. HINESVILLE, GA 31313

For other questions Contact EPD Drinking Water Program (404) 656-5660

ug/L: micrograms/liter

Laboratory Contact:

5804 Peachtree Corners East, Norcross, GA 30092-3403

(678) 248-7440

Lead and Copper Sample Analysis Report

TO: Mr. RON 425 W (IALD E TOLLEY OGI ETHORPE HWY	Date Collected:	9/17/2024
120 111		Time Collected:	7:45 AM
HINESV	ILLE, GA 31313	Sample Collector:	K. ANDERSON
Sample ID:	AL73379	Received By:	ESH
System:	tradeport east	Date Received:	9/25/2024
WSID: Site Number:	1790153	Reporting Date:	10/4/2024
one number.	03		

	PARAMETER				ANALYSIS
ANALYIE	CODE	RESULT	UNITS	ANALYSI	DATE
Copper	01042	33	ug/L	PD	10/1/2024
Lead	01051	0	ug/L	PD	10/1/2024

Thank you for participating in the implementation of the "Lead and Copper Rule" as required by the US Environmental Protection Agency. The water sample you collected from your house has been analyzed for lead and copper content; the results are given above.

Lead and copper may be found in household plumbing fixtures such as service lines, pipes, solders and fluxes, and brass and bronze fixtures. Lead is found throughout the environment in the air, soil, water, and household dust, and in consumer products such as food, lead-based paint, pottery porcelain and pewter. Lead and copper enter drinking water primarily as a result of the corrosion, or wearing away of materials containing these metals. Lead can pose a significant risk to your health if too much of it enters your body. The greatest risk is to young children and pregnant women. The US EPA has established an "action level" of 15 ug/l for lead and 1300 ug/l for copper. If concentrations measured in your household water exceed these "action levels", you can minimize your exposure by:

* "flushing" the cold water faucet until the water becomes as cold as it will get; this removes the water that has stagnated in you home plumbing over several hours;

- * using cold water for drinking or cooking;
- * not cooking with or consuming water from the hot water faucet;
- * not using hot water for making baby formula;
- * using only "lead-free" solder, fluxes, and materials in new household plumbing and
- repairs.

For more information on reducing lead/copper exposure around your home, the health effects and primary sources of these contaminants, please visit the EPA's website at WWW.EPA.GOV/LEAD, call the National Lead Information Center at 1-800-424-LEAD, or contact your health care provider.

For more information contact your water supplier:

Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY. HINESVILLE, GA 31313

For other questions Contact EPD Drinking Water Program (404) 656-5660

ug/L: micrograms/liter

Laboratory Contact:

5804 Peachtree Corners East, Norcross, GA 30092-3403

(678) 248-7440

Lead and Copper Sample Analysis Report

TO: Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY		Date Collected:	9/17/2024
120 11.0		Time Collected:	5:18 AM
HINESV	ILLE, GA 31313	Sample Collector:	K. STACHOWIAK
Sample ID:	AL73380	Received By:	ESH
System:	tradeport east	Date Received:	9/25/2024
WSID:	1790153	Peparting Date:	10/4/2024
Site Number:	04	Reporting Date.	10/7/2027

ANALYTE	PARAMETER CODE	RESULT	UNITS	ANALYST	ANALYSIS DATE
Copper	01042	77	ug/L	PD	10/1/2024
Lead	01051	0	ug/L	PD	10/1/2024

Thank you for participating in the implementation of the "Lead and Copper Rule" as required by the US Environmental Protection Agency. The water sample you collected from your house has been analyzed for lead and copper content; the results are given above.

Lead and copper may be found in household plumbing fixtures such as service lines, pipes, solders and fluxes, and brass and bronze fixtures. Lead is found throughout the environment in the air, soil, water, and household dust, and in consumer products such as food, lead-based paint, pottery porcelain and pewter. Lead and copper enter drinking water primarily as a result of the corrosion, or wearing away of materials containing these metals. Lead can pose a significant risk to your health if too much of it enters your body. The greatest risk is to young children and pregnant women. The US EPA has established an "action level" of 15 ug/l for lead and 1300 ug/l for copper. If concentrations measured in your household water exceed these "action levels", you can minimize your exposure by:

* "flushing" the cold water faucet until the water becomes as cold as it will get; this removes the water that has stagnated in you home plumbing over several hours;

- * using cold water for drinking or cooking;
- * not cooking with or consuming water from the hot water faucet;
- * not using hot water for making baby formula;
- * using only "lead-free" solder, fluxes, and materials in new household plumbing and
- repairs.

For more information on reducing lead/copper exposure around your home, the health effects and primary sources of these contaminants, please visit the EPA's website at WWW.EPA.GOV/LEAD, call the National Lead Information Center at 1-800-424-LEAD, or contact your health care provider.

For more information contact your water supplier:

Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY. HINESVILLE, GA 31313

For other questions Contact EPD Drinking Water Program (404) 656-5660

ug/L: micrograms/liter

Laboratory Contact:

5804 Peachtree Corners East, Norcross, GA 30092-3403

(678) 248-7440

Lead and Copper Sample Analysis Report

TO: Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY		Date Collected:	9/17/2024
120 111		Time Collected:	6:50 AM
HINESV	ILLE, GA 31313	Sample Collector:	E. PORTER
Sample ID:	AL73381	Received By:	ESH
System:	tradeport east	Date Received:	9/25/2024
WSID:	1790153	Reporting Date:	10/4/2024
Site Number:	05	, 5	

ANALYTE	PARAMETER CODE	RESULT	UNITS	ANALYST	ANALYSIS DATE
Copper	01042	170	ug/L	PD	10/1/2024
Lead	01051	0	ug/L	PD	10/1/2024

Thank you for participating in the implementation of the "Lead and Copper Rule" as required by the US Environmental Protection Agency. The water sample you collected from your house has been analyzed for lead and copper content; the results are given above.

Lead and copper may be found in household plumbing fixtures such as service lines, pipes, solders and fluxes, and brass and bronze fixtures. Lead is found throughout the environment in the air, soil, water, and household dust, and in consumer products such as food, lead-based paint, pottery porcelain and pewter. Lead and copper enter drinking water primarily as a result of the corrosion, or wearing away of materials containing these metals. Lead can pose a significant risk to your health if too much of it enters your body. The greatest risk is to young children and pregnant women. The US EPA has established an "action level" of 15 ug/l for lead and 1300 ug/l for copper. If concentrations measured in your household water exceed these "action levels", you can minimize your exposure by:

* "flushing" the cold water faucet until the water becomes as cold as it will get; this removes the water that has stagnated in you home plumbing over several hours;

- * using cold water for drinking or cooking;
- * not cooking with or consuming water from the hot water faucet;
- * not using hot water for making baby formula;
- * using only "lead-free" solder, fluxes, and materials in new household plumbing and
- repairs.

For more information on reducing lead/copper exposure around your home, the health effects and primary sources of these contaminants, please visit the EPA's website at WWW.EPA.GOV/LEAD, call the National Lead Information Center at 1-800-424-LEAD, or contact your health care provider.

For more information contact your water supplier:

Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY. HINESVILLE, GA 31313

For other questions Contact EPD Drinking Water Program (404) 656-5660

ug/L: micrograms/liter

Laboratory Contact:

5804 Peachtree Corners East, Norcross, GA 30092-3403

(678) 248-7440

Lead and Copper Sample Analysis Report

TO: Mr. RONALD E TOLLEY 425 W OGLETHORPE HWY	Date Collected: 9/17/2024
	Time Collected: 6:00 AM
HINESVILLE, GA 31313	Sample Collector: A. ALLEN
Sample ID: AL73382	Received By: ESH
System: tradeport east	Date Received: 9/25/2024
WSID: 1790153 Site Number: 06	Reporting Date: 10/4/2024

ANALYTE	PARAMETER CODE	RESULT	UNITS	ANALYST	ANALYSIS DATE
Copper	01042	56	ug/L	PD	10/1/2024
Lead	01051	0	ug/L	PD	10/1/2024

Thank you for participating in the implementation of the "Lead and Copper Rule" as required by the US Environmental Protection Agency. The water sample you collected from your house has been analyzed for lead and copper content; the results are given above.

Lead and copper may be found in household plumbing fixtures such as service lines, pipes, solders and fluxes, and brass and bronze fixtures. Lead is found throughout the environment in the air, soil, water, and household dust, and in consumer products such as food, lead-based paint, pottery porcelain and pewter. Lead and copper enter drinking water primarily as a result of the corrosion, or wearing away of materials containing these metals. Lead can pose a significant risk to your health if too much of it enters your body. The greatest risk is to young children and pregnant women. The US EPA has established an "action level" of 15 ug/l for lead and 1300 ug/l for copper. If concentrations measured in your household water exceed these "action levels", you can minimize your exposure by:

* "flushing" the cold water faucet until the water becomes as cold as it will get; this removes the water that has stagnated in you home plumbing over several hours;

- * using cold water for drinking or cooking;
- * not cooking with or consuming water from the hot water faucet;
- * not using hot water for making baby formula;
- * using only "lead-free" solder, fluxes, and materials in new household plumbing and
- repairs.

For more information on reducing lead/copper exposure around your home, the health effects and primary sources of these contaminants, please visit the EPA's website at WWW.EPA.GOV/LEAD, call the National Lead Information Center at 1-800-424-LEAD, or contact your health care provider.

For more information contact your water supplier:

Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY. HINESVILLE, GA 31313

For other questions Contact EPD Drinking Water Program (404) 656-5660

ug/L: micrograms/liter

Laboratory Contact:

5804 Peachtree Corners East, Norcross, GA 30092-3403

(678) 248-7440

Lead and Copper Sample Analysis Report

TO: Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY.		Date Collected: 9/17/2024	
		Time Collected:	7:00 AM
HINESVILLE, GA 31313		Sample Collector:	C. WEBBER
Sample ID:	AL73383	Received By:	ESH
System:	tradeport east	Date Received:	9/25/2024
WSID: Site Number:	1790153 07	Reporting Date:	10/4/2024
I			

ANALYTE	PARAMETER CODE	RESULT	UNITS	ANALYST	ANALYSIS DATE
Copper	01042	16	ug/L	PD	10/1/2024
Lead	01051	1.5	ug/L	PD	10/1/2024

Thank you for participating in the implementation of the "Lead and Copper Rule" as required by the US Environmental Protection Agency. The water sample you collected from your house has been analyzed for lead and copper content; the results are given above.

Lead and copper may be found in household plumbing fixtures such as service lines, pipes, solders and fluxes, and brass and bronze fixtures. Lead is found throughout the environment in the air, soil, water, and household dust, and in consumer products such as food, lead-based paint, pottery porcelain and pewter. Lead and copper enter drinking water primarily as a result of the corrosion, or wearing away of materials containing these metals. Lead can pose a significant risk to your health if too much of it enters your body. The greatest risk is to young children and pregnant women. The US EPA has established an "action level" of 15 ug/l for lead and 1300 ug/l for copper. If concentrations measured in your household water exceed these "action levels", you can minimize your exposure by:

* "flushing" the cold water faucet until the water becomes as cold as it will get; this removes the water that has stagnated in you home plumbing over several hours;

- * using cold water for drinking or cooking;
- * not cooking with or consuming water from the hot water faucet;
- * not using hot water for making baby formula;
- * using only "lead-free" solder, fluxes, and materials in new household plumbing and
- repairs.

For more information on reducing lead/copper exposure around your home, the health effects and primary sources of these contaminants, please visit the EPA's website at WWW.EPA.GOV/LEAD, call the National Lead Information Center at 1-800-424-LEAD, or contact your health care provider.

For more information contact your water supplier:

Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY. HINESVILLE, GA 31313

For other questions Contact EPD Drinking Water Program (404) 656-5660

ug/L: micrograms/liter

Laboratory Contact:

5804 Peachtree Corners East, Norcross, GA 30092-3403

(678) 248-7440

Lead and Copper Sample Analysis Report

TO: Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY.		Date Collected:	9/17/2024
		Time Collected:	6:00 AM
HINESVILLE, GA 31313		Sample Collector:	E. AMAYA
Sample ID:	AL73384	Received By:	ESH
System:	tradeport east	Date Received:	9/25/2024
WSID: Site Number:	1790153 08	Reporting Date:	10/4/2024

ANALYTE	PARAMETER CODE	RESULT	UNITS	ANALYST	ANALYSIS DATE
Copper	01042	70	ug/L	PD	10/1/2024
Lead	01051	0	ug/L	PD	10/1/2024

Thank you for participating in the implementation of the "Lead and Copper Rule" as required by the US Environmental Protection Agency. The water sample you collected from your house has been analyzed for lead and copper content; the results are given above.

Lead and copper may be found in household plumbing fixtures such as service lines, pipes, solders and fluxes, and brass and bronze fixtures. Lead is found throughout the environment in the air, soil, water, and household dust, and in consumer products such as food, lead-based paint, pottery porcelain and pewter. Lead and copper enter drinking water primarily as a result of the corrosion, or wearing away of materials containing these metals. Lead can pose a significant risk to your health if too much of it enters your body. The greatest risk is to young children and pregnant women. The US EPA has established an "action level" of 15 ug/l for lead and 1300 ug/l for copper. If concentrations measured in your household water exceed these "action levels", you can minimize your exposure by:

* "flushing" the cold water faucet until the water becomes as cold as it will get; this removes the water that has stagnated in you home plumbing over several hours;

- * using cold water for drinking or cooking;
- * not cooking with or consuming water from the hot water faucet;
- * not using hot water for making baby formula;
- * using only "lead-free" solder, fluxes, and materials in new household plumbing and
- repairs.

For more information on reducing lead/copper exposure around your home, the health effects and primary sources of these contaminants, please visit the EPA's website at WWW.EPA.GOV/LEAD, call the National Lead Information Center at 1-800-424-LEAD, or contact your health care provider.

For more information contact your water supplier:

Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY. HINESVILLE, GA 31313

For other questions Contact EPD Drinking Water Program (404) 656-5660

ug/L: micrograms/liter

Laboratory Contact:

5804 Peachtree Corners East, Norcross, GA 30092-3403

(678) 248-7440

Lead and Copper Sample Analysis Report

TO: Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY.		Date Collected: 9/17/2024	
		Time Collected:	10:04 AM
HINESVILLE, GA 31313		Sample Collector:	P. TORAYA
Sample ID:	AL73385	Received By:	ESH
System:	tradeport east	Date Received:	9/25/2024
WSID:	1790153	Reporting Date:	10/4/2024
Site Number:	09	rioporting Date.	

ANALYTE	PARAMETER CODE	RESULT	UNITS	ANALYST	ANALYSIS DATE
Copper	01042	35	ug/L	PD	10/1/2024
Lead	01051	1.5	ug/L	PD	10/1/2024

Thank you for participating in the implementation of the "Lead and Copper Rule" as required by the US Environmental Protection Agency. The water sample you collected from your house has been analyzed for lead and copper content; the results are given above.

Lead and copper may be found in household plumbing fixtures such as service lines, pipes, solders and fluxes, and brass and bronze fixtures. Lead is found throughout the environment in the air, soil, water, and household dust, and in consumer products such as food, lead-based paint, pottery porcelain and pewter. Lead and copper enter drinking water primarily as a result of the corrosion, or wearing away of materials containing these metals. Lead can pose a significant risk to your health if too much of it enters your body. The greatest risk is to young children and pregnant women. The US EPA has established an "action level" of 15 ug/l for lead and 1300 ug/l for copper. If concentrations measured in your household water exceed these "action levels", you can minimize your exposure by:

* "flushing" the cold water faucet until the water becomes as cold as it will get; this removes the water that has stagnated in you home plumbing over several hours;

- * using cold water for drinking or cooking;
- * not cooking with or consuming water from the hot water faucet;
- * not using hot water for making baby formula;
- * using only "lead-free" solder, fluxes, and materials in new household plumbing and
- repairs.

For more information on reducing lead/copper exposure around your home, the health effects and primary sources of these contaminants, please visit the EPA's website at WWW.EPA.GOV/LEAD, call the National Lead Information Center at 1-800-424-LEAD, or contact your health care provider.

For more information contact your water supplier:

Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY. HINESVILLE, GA 31313

For other questions Contact EPD Drinking Water Program (404) 656-5660

ug/L: micrograms/liter

Laboratory Contact:

5804 Peachtree Corners East, Norcross, GA 30092-3403

(678) 248-7440

Lead and Copper Sample Analysis Report

TO: Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY.		Date Collected: 9/17/2024	
		Time Collected:	10:15 AM
HINESVILLE, GA 31313		Sample Collector:	P. TORAYA
Sample ID:	AL73386	Received By:	ESH
System:	tradeport east	Date Received:	9/25/2024
WSID: Site Number:	1790153 10	Reporting Date:	10/4/2024

ANALYTE	PARAMETER CODE	RESULT	UNITS	ANALYST	ANALYSIS DATE
Copper	01042	78	ug/L	PD	10/1/2024
Lead	01051	5.6	ug/L	PD	10/1/2024

Thank you for participating in the implementation of the "Lead and Copper Rule" as required by the US Environmental Protection Agency. The water sample you collected from your house has been analyzed for lead and copper content; the results are given above.

Lead and copper may be found in household plumbing fixtures such as service lines, pipes, solders and fluxes, and brass and bronze fixtures. Lead is found throughout the environment in the air, soil, water, and household dust, and in consumer products such as food, lead-based paint, pottery porcelain and pewter. Lead and copper enter drinking water primarily as a result of the corrosion, or wearing away of materials containing these metals. Lead can pose a significant risk to your health if too much of it enters your body. The greatest risk is to young children and pregnant women. The US EPA has established an "action level" of 15 ug/l for lead and 1300 ug/l for copper. If concentrations measured in your household water exceed these "action levels", you can minimize your exposure by:

* "flushing" the cold water faucet until the water becomes as cold as it will get; this removes the water that has stagnated in you home plumbing over several hours;

- * using cold water for drinking or cooking;
- * not cooking with or consuming water from the hot water faucet;
- * not using hot water for making baby formula;
- * using only "lead-free" solder, fluxes, and materials in new household plumbing and
- repairs.

For more information on reducing lead/copper exposure around your home, the health effects and primary sources of these contaminants, please visit the EPA's website at WWW.EPA.GOV/LEAD, call the National Lead Information Center at 1-800-424-LEAD, or contact your health care provider.

For more information contact your water supplier:

Mr. RONALD E TOLLEY 425 W. OGLETHORPE HWY. HINESVILLE, GA 31313

For other questions Contact EPD Drinking Water Program (404) 656-5660

ug/L: micrograms/liter

Laboratory Contact: